

**T: Ręczna instalacja sieciowa systemu Windows.**

## Zadanie1:

Odszukaj w sieci Internet materiały na temat możliwości przeprowadzenia instalacji systemu Windows XP Professional poprzez sieć.


## Zadanie2:

Wykorzystując systemowe narzędzie Centrum pomocy i obsługi technicznej odszukaj informacje na temat następujących poleceń: netsetup.exe, winnt.exe, winnt32.exe.

## Zadanie3:

W jaki sposób umożliwić instalację systemów operacyjnych Windows poprzez usługę RIS?

Dodatkowe informacje na stronie: <http://cybertrash.pl/Tata/Windows%202003%20-%20instalacja.html>



```
C:\WINDOWS\system32\cmd.exe
D:\I386>winntus /?
Sets up Windows 2002 Server or Windows XP Professional.

WINNT [/s[:sourcepath]] [/t[:tempdrive]]
      [/u[:answer file]] [/udf:id[,UDF_file]]
      [/r[:folder]] [/rx[:folder]] [/e:command] [/a]

/s[:sourcepath]
  Specifies the source location of the Windows files.
  The location must be a full path of the form x:[path] or
  \\server\share[path].

/t[:tempdrive]
  Directs Setup to place temporary files on the specified
  drive and to install Windows XP on that drive. If you do
  not specify a location, Setup attempts to locate a drive
  for you.

/u[:answer file]
  Performs an unattended Setup using an answer file (requires
  /s). The answer file provides answers to some or all of the
  prompts that the end user normally responds to during Setup.

/udf:id[,UDF_file]
  Indicates an identifier (id) that Setup uses to specify how
  a Uniqueness Database File (UDF) modifies an answer file
  (see /u).The /udf parameter overrides values in the answer
  file, and the identifier determines which values in the UDF
  file are used. If no UDF_file is specified, Setup prompts
  you to insert a disk that contains the $Unique$.udb file.

/r[:folder]
  Specifies an optional folder to be installed. The folder
  remains after Setup finishes.

/rx[:folder]
  Specifies an optional folder to be copied. The folder is
  deleted after Setup finishes.

/e Specifies a command to be executed at the end of GUI-mode Setup.

/a Enables accessibility options.
```